EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	10/540440	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/29 15:15
S2	352254	("707" "705" "709" "715" "345" "370" "382").clas. and (@ad<"20021220" @pd<"20021220" @rlad<"20021220")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/29 15:15
S3	62	context$3 near5 (relat$3 associat$3) near5 (mobile portable cell) near5 (phone device cellphone pda) and (@ad<"20021220" @pd<"20021220" @rlad<"20021220")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/29 15:15
S4	938	context$3 near5 (mobile portable cell) near5 (phone device cellphone pda) and (@ad<"20021220" @pd<"20021220" @rlad<"20021220")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/29 15:15
S5	370	S4 and S2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/29 15:15
S6	352254	("707" "705" "709" "715" "345" "370" "382").clas. and (@ad<"20021220" @pd<"20021220" @rlad<"20021220")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/29 15:15
S7	62	context$3 near5 (relat$3 associat$3) near5 (mobile portable cell) near5 (phone device cellphone pda) and (@ad<"20021220" @pd<"20021220" @rlad<"20021220")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/29 15:15

S8	23	S7 and S6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/29 15:15
S9	39	S7 not S8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/29 15:15
S10	1181	calendar near5 (monitor$3 watch$3 alarm$3) and (((mobile portable cell) adj phone device) cellphone pda laptop pager) and (@ad<"20021220" @pd<"20021220" @rlad<"20021220")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/29 15:15
S11	31	calendar near5 (monitor$3 watch$3 alarm$3) and membership and (@ad<"20021220" @pd<"20021220" @rlad<"20021220")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/29 15:15
S12	6	calendar near5 (monitor$3 watch$3 alarm$3) same ($2liability trustworth$5) and (@ad<"20021220" @pd<"20021220" @rlad<"20021220")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/29 15:15
S13	28	(calendar schedule appointment) near5 (monitor $3 watch$3 alarm$3 reminder) same (time appointment) near5 (exceed $3 overlap$4) and (@ad<"20021220" @pd<"20021220" @rlad<"20021220")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/29 15:15
S14	1	"6741996".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/29 15:15
S15	1	"20040034655"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/29 15:15

S16	58	(transform$3 conver$4) same (base) same out near5 range near5 frequency and (@ad<"20021220" @pd<"20021220" @rlad<"20021220")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/29 15:15
S17	5	(transform$3 conver$4) same (base) same out adj range near5 frequency and (@ad<"20021220" @pd<"20021220" @rlad<"20021220")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/29 15:15
S18	69	(transform$3 conver$4) same out adj range near5 frequency and (@ad<"20021220" @pd<"20021220" @rlad<"20021220")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/29 15:15
S19	1239	out near2 range near2 frequency and (@ad<"20021220" @pd<"20021220" @rlad<"20021220")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/29 15:15
S20	100	out near2 range near2 frequency same (Code base) and (@ad<"20021220" @pd<"20021220" @rlad<"20021220")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/29 15:15
S21	17	out near2 range near2 frequency same (code) and (@ad<"20021220" @pd<"20021220" @rlad<"20021220")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/29 15:15
S22	10	(scor$3 match$3) near5 (image picture video audio music song multimedia media) near5 calendar and (@ad<"20021220" @pd<"20021220" @rlad<"20021220")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/29 15:15
S23	27	(encod$3 cod$3) near5 (metadata (meta adj (data information))) same (cod$3 encod$3) near5 frequency	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/29 15:15

S24	15	(encod$3 cod$3) near5 (metadata (meta adj (data information))) same (cod$3 encod$3) near5 frequency and audio	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/29 15:15
S25	53	(metadata (meta adj (data information))) and (octave) near5 frequency	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/29 15:15
S26	5	(encod$3 cod$3) near5 (metadata (meta adj (data information))) and (octave) near5 frequency	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/29 15:15
S27	10	(metadata (meta adj (data information))) same (octave)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/29 15:15
S28	24	(metadata (meta adj (data information))) and (octave) and (@ad<"20021220" @pd<"20021220" @rlad<"20021220")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/29 15:15
S29	1	(encod$3 cod$3) near5 (metadata (meta adj (data information))) and octave and (@ad<"20021220" @pd<"20021220" @rlad<"20021220")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/29 15:15
S30	347	(encod$3) same octave and (@ad<"20021220" @pd<"20021220" @rlad<"20021220")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/29 15:15
S31	101	(encod$3) near5 (data information) same octave and (@ad<"20021220" @pd<"20021220" @rlad<"20021220")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/29 15:15

S32	8	(encod$3) near5 header same octave and (@ad<"20021220" @pd<"20021220" @rlad<"20021220")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/29 15:15
S33	71	(encod$3) near5 header same (subband (sub adj (band frequency))) and (@ad<"20021220" @pd<"20021220" @rlad<"20021220")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/29 15:15
S34	8	S33 and octave	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/29 15:15
S35	11	header near5 octave and (@ad<"20021220" @pd<"20021220" @rlad<"20021220")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/29 15:15
S36	1	"20030133423" and repeat$3 same frequency	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/29 15:15
S37	31	(image picture video audio music song multimedia media) near5 calendar and maximum near5 (grade scor $3 point) and (@ad<"20021220" @pd<"20021220" @rlad<"20021220")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/29 15:15
S38	151	membership near5 grade near5 value and (@ad<"20021220" @pd<"20021220" @rlad<"20021220")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/29 15:15
S39	1	membership near5 grade near5 value and calendar and (@ad<"20021220" @pd<"20021220" @rlad<"20021220")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/29 15:15

S40	12	maximum near5 membership near5 grade near5 value and (@ad<"20021220" @pd<"20021220" @rlad<"20021220")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/29 15:15
S41	200	((Theimer near1 Wolfgang) (Haberland-Schlosser near1 Knut) (Weingart near1 Peter) (Serafat near1 Reza) (Luck near1 Matthias) (Gorzt near1 Udo) (Rateitschek near1 Klaus) (Makela near1 Jakke) (Myka near1 Andreas)).inv.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/29 15:15
S42	145	S41 and nokia.asn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/29 15:15
S43	0	S42 and membership near2 function	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/29 15:15
S44	0	S42 and membership near5 function	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/29 15:15
S45	1	S41 and membership near5 function	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/29 15:15
S46	6	S41 and histor$4 near5 (stor $3 archiv$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/29 15:15
S47	0	S42 and membership	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/29 15:15

S48	1	S41 and membership	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/29 15:15
S49	32	S41 and calendar	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/29 15:15
S50	19	S42 and calendar	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/29 15:15
S51	49	S42 and frequency	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/29 15:15
S52	0	S51 and cod$3 near2 (basis base)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/29 15:15
S53	1	S42 and cod$3 near2 (basis base)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/29 15:15
S54	1	"6484156".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/29 15:15
S55	1	"20010049691"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/29 15:15

S56	1	"20030133423"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/29 15:15
S57	1	"6192056".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/29 15:15
S58	2	"20020031240"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/29 15:15
S59	1	"5805773".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/29 15:15
S60	25	repeat$3 near5 (code codec) near5 (base basis) same frequency and (@ad<"20021220" @pd<"20021220" @rlad<"20021220")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/29 15:15
S61	67	(alarm$3 alert$3) near5 operation same calendar and (@ad<"20021220" @pd<"20021220" @rlad<"20021220")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/29 15:15
S62	7	(alarm$3 alert$3) near5 operation same calendar same compar$3 near5 time and (@ad<"20021220" @pd<"20021220" @rlad<"20021220")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/29 15:15
S63	16	(alarm$3 alert$3) near5 operation same calendar and compar$3 near5 time and (@ad<"20021220" @pd<"20021220" @rlad<"20021220")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/29 15:15

S64	9	S63 not S62	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/29 15:15
S65	0	(alarm$3 alert$3) near5 (reliability trustworthy) same calendar and compar$3 near5 time and (@ad<"20021220" @pd<"20021220" @rlad<"20021220")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/29 15:15
S66	0	(alarm$3 alert$3) near5 (reliability trustworthy) and calendar same compar$3 near5 time and (@ad<"20021220" @pd<"20021220" @rlad<"20021220")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/29 15:15
S67	12	(alarm$3 alert$3) near5 (reliability reliable probability trustworthy) and calendar and compar$3 near5 time and (@ad<"20021220" @pd<"20021220" @rlad<"20021220")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/29 15:15
S68	12	(alarm$3 alert$3) near5 (reliability reliable probability trustworthy) and calendar and compar$3 near5 time and (@ad<"20021220" @pd<"20021220" @rlad<"20021220")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/29 15:15
S69	9	(reliability reliable probability trustworthy accura$4) near5 appointment and compar$3 near5 time and (@ad<"20021220" @pd<"20021220" @rlad<"20021220")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/29 15:15
S70	29	remind$3 near5 appointment same calendar and compar$3 near5 time and (@ad<"20021220" @pd<"20021220" @rlad<"20021220")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/29 15:15

S71	20	remind$3 near5 (appointment schedul$3 calendar) same (before start $3) same (after end$3) and compar$3 near5 time and (@ad<"20021220" @pd<"20021220" @rlad<"20021220")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/29 15:15
S72	97	(remind$3 alarm$3 alert$3 nofif$4 notification) same (event appointment schedul $3) near5 (before start$3) same (event appointment schedul$3) near5 (after end $3) and compar$3 near5 time and (@ad<"20021220" @pd<"20021220" @rlad<"20021220")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/29 15:15
S73	10	(remind$3 alarm$3 alert$3 nofif$4 notification) same (event appointment schedul $3) near5 (before start$3) same (event appointment schedul$3) near5 (after end $3) and compar$3 near5 time same calendar and (@ad<"20021220" @pd<"20021220" @rlad<"20021220")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/29 15:15
S74	657	(remind$3 alarm$3 alert$3 nofif$4 notification) same (event appointment schedul $3) and microsoft near5 outlook and (@ad<"20021220" @pd<"20021220" @rlad<"20021220")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/29 15:15
S75	25	(remind$3 alarm$3 alert$3 nofif$4 notification) same (event appointment schedul $3) near5 (before start$3) same (event appointment schedul$3) near5 (after end $3) and microsoft near5 outlook and (@ad<"20021220" @pd<"20021220" @rlad<"20021220")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/29 15:15

S76	6	(remind$3 alarm$3 alert$3 notif$4 notification) same (upcoming) near5 (event appointment schedul$3) same (miss$3 skip$4) near5 (event appointment schedul $3) and ((@ad<"20021220" @pd<"20021220" @rlad<"20021220")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/29 15:15
S77	189	(encod$3 cod$3) near5 (metadata (meta adj data) (meta adj information) header) and repeat$3 near5 frequency and (@ad<"20021220" @pd<"20021220" @rlad<"20021220")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/29 15:15
S78	32	(encod$3 cod$3) near5 (metadata (meta adj data) (meta adj information) header) same frequency and repeat$3 near5 frequency and (@ad<"20021220" @pd<"20021220" @rlad<"20021220")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/29 15:15
S79	1	(encod$3 cod$3) near5 (metadata (meta adj data) (meta adj information) header) same frequency and repeat$3 near5 frequency same out near5 range and (@ad<"20021220" @pd<"20021220" @rlad<"20021220")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/29 15:15
S80	2	"2,642,524".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/29 15:15
S81	36195	(707/102 707/104.1 707/204)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/29 15:34
S82	91	S74 and S81	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/29 15:35

S83	1	S77 and S81	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/29 15:36
S84	3	S41 and S81	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/29 15:36
S85	1	S42 and S81	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/29 15:36
S86	2	S30 and S81	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/29 15:36
S87	140	707/769 707/805	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/29 15:42
S88	0	S74 and S87	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/29 15:42
S89	0	S77 and S87	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/29 15:43
S90	0	S41 and S87	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/29 15:43

S91	0	S42 and S87	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/29 15:43
S92	0	S30 and S87	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/29 15:43
S93	14	calendar and S87	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/29 15:43

4/29/2010 3:58:50 PM
C:\ Documents and Settings\ shoang\ My Documents\ EAST\ Workspaces\ son_10_540_440_case. wsp